Section III:

Baby-friendly Hospital Initiative

Reassessment tool

Prepared by the

World Health Organization and Wellstart International



Table of contents

Data	collection instruments	1
I.	Summary infant feeding report	3
II.	Summary staff training report	5
III.	Review and observation form	7
IV.	Interview with mother.	9
V.	Interview with staff member.	13
VI.	Interview with pregnant woman	15
VII.	Interview with mother of baby in special care	17
Data	summary and reporting forms	19
Sumi	mary of data collected	21
Repo	ort on results	33
Acti	on plans	49
Actio	on plan (with timeline)	51
Actio	on plan (without timeline)	53

Baby-friendly Hospital Initiative

Reassessment tool:

Data collection instruments

I. Summary infant feeding report

Name of health facility:		
Period of data collection:		
Assessor(s):		
Date of report:	//	
•	(dd / mm / yy)	

Enter the data for the current monitoring period from the "Infant feeding record" and calculate the percentages for the indicators below. If the "Infant feeding record" has not been used but the hospital has data from another source, indicate the source.

		Number	Percenta	ige
I.1.	Total number of babies discharged during the period of data collection:			
I.2.	Babies delivered by c-section:		(%)
I.3.	Babies breastfed within one hour or less after birth or (for c-section) within one hour or less			2.0
	after the mother is able to respond			%)
I.4.	Babies breastfeeding at discharge:			%)
I.5.	Babies exclusively breastfed ¹		(%)
I.6.	Babies bottle-fed ²	<u></u>		%)
I.7.	Babies rooming-in ³			%)
Sou	rce of data: ☐ Infant feeding record ☐ Other (specify:)			

DEFINITIONS:

- 1. **Exclusively breastfed:** Babies that received only breast milk, did not receive any other liquid or food, except small amounts of vitamins, mineral supplements or medicines
- 2. **Bottle-fed:** Babies that at any time during the hospital stay received anything (even milk from their own mothers) from a bottle
- 3. Rooming-in: Mother and baby stay in the same room 24 hours a day, starting within one hour of birth and not separated for more than one hour at any time

II. Summary staff training report

	Assessor(s):	
П.1.	Number of staff members that care for mothers and infants	2a (p.21)
II.2.	Number of these staff members that have received at least 18 hours of training (including a minimum of 3 hours of supervised clinical experience)	
II.3.	Percentage of trained staff members:	
	(II.2) out of (total staff members) = %	2a (p.21)
II.4.	Number of these staff members that have not been trained but have been on the staff less than 6 months and are scheduled to be trained within 6 months of joining the staff	
II.5.	Percentage of new staff scheduled for training:	
	(II.4) out of (total staff members) = %	2a (p.21)
Sourc	be of data:	

III. Review and observation form

		Name of health facility:		
		Name of Assessor: Date:	<u> </u>	.
		Date.	(dd / mm /	
III.1.	Breastfeeding policy		,	•
Ш.1.1.	The policy is displayed in all require	ed areas		la (p.21)
	- Prenatal clinic - Maternity ward - Nursery - Infant special-care unit Total ☐ Yes (If all above are "Yes" or "Are ☐ No. (If some required areas don't he	□ Yes □ No □ Yes □ No □ Area o □ Yes □ No □ Area o ea doesn't exist")	doesn't exist	
III.1.2.	There are no posters or other mater that promote breast-milk substitute bottles, or pacifiers:	s,	displayed ial displayed	1b (p.21)
III.2.	Prenatal health education			
	The hospital provides some prenata The hospital does not provide any provide and provide a	prenatal care for pregnant wo	men 🗖	
III.2.1.	There is a written description of the for individual counseling and/or ground on breastfeeding	oup education sessions	JYes □ No	3a (p.22)
III.2.2.	 b. The importance of breastfed c The importance of rooming d. Positioning and attachment e. The importance of feeding f. What a mother can do to en 	for her baby $\ldots $	JYes □No JYes □No JYes □No JYes □No	·

III.3.	Written information for mothers on breastfeeding support available after discharge	
III.3.1	Review indicates that written information is provided along with an appropriate explanation and covers one or more useful suggestions concerning where or how mothers can get help after discharge if they have problems with breastfeeding □ Yes □ No	
	(If yes:) What suggestions does the written information provide? (Please list.)	
	☐ Useful information☐ Not useful information	10d (p.30)
III.4.	Free and low-cost breast-milk substitutes and samples	
	(Note: Discuss the items below with whomever is responsible for ordering breast-milk substitutes. List these persons as "sources of data".)	
III.4.1.	Free or low-cost supplies of breast-milk substitutes are <i>not</i> accepted by the health care facility	11a (p.30)
III.4.2	Breast-milk substitutes, including special formulas, are purchased by the health care facility for at least 80% of retail value \(\square \text{Yes} \square \text{No} \) (If possible, review records and receipts for purchase of breast-milk substitutes and list them as sources of data.) Sources of data:	11b (p. 31)
III.4.3.	The health facility does <i>not</i> allow gift packs with breast-milk substitutes, infant-feeding bottles or teats to be distributed to pregnant women or mothers. Does not allow Allows Sources of data:	11c (p.31)

Mens	essment tool			
		with mother No ty services interv		
		Name of health facility: Name of ward/unit: Name of assessor: Date:	/ / (dd / mm / yy)	
[The	interview should be conducted as close	to discharge as possible	<i>e.J</i>	
Date	of delivery: / / Time:	: (am/pm)		
some staff. questi will ne	duction: Good (morning/afternoon/evening) (RT THE NAME OF THE ORGANIZATION) aspects of your stay here, in particular, about Our discussion will take about 5 to 10 minutions, if you'd rather not. If you agree to answer to be used in any way. Your participation works support to mothers and babies. May I contide support to mothers and babies.	YOU WORK FOR]. We are thow your baby has been fer ess of your time. You are fre er the questions, your answould be very helpful in deter	e interested in learning ad and about your inter e to decide not to answers will be confidentia	g more about ractions with the ver the l and your name tal can best
IV.1	Was your delivery: ☐ Vaginal ☐ C	aesarean section		4a (p.23) 4b (p.24)
IV.2	How many days old is your baby? [If less than a day:] How many hours of [Check the answer with data available about the second content of the content o	old is your baby?	days	
IV.3	Since your baby was born, has he/she be [If not breastfeeding > IV.7]	een breastfed at all?	. 🗆 Yes 🗆 No	
IV.4	[For mothers delivering vaginally:] How soon after birth did you breastfeed [For mothers delivering by caesarean:] How soon after you were able to respondid you breastfeed your baby for the fin	nd to your baby	,	4a (p.23) 4b (p.24)
IV.5	Have you, a staff member, or anybody your baby a pacifier/dummy to suck on	else given ? □ Yes □ N	Io □ Don't know	9a (p.28)
IV.6	Have you, a staff member, or anybody your baby with a bottle?		o 🗇 Don't know	9b (p.29)

	Since your baby was born, as far as you know, has your baby received any of the following? [Read list below.]		
	Plain water	□ No	
	Sweetened or flavoured water 🗆 Yes	□ No	
		□ No	
	· • • • • • • • • • • • • • • • • • • •	□ No	
		□ No	
	Anything else (other than breast milk?)	□ No	6a (p.27)
	[If baby has received anything other than vitamins, mineral supplements	s, <i>or</i>	
	medicine, review the records of mother/infant after the interview to deter	rmine	'
	if the reason is an acceptable medical reason]		· · · · ·
	Records show the reason for using		
	food/liquids other than breast milk		
	is an acceptable medical reason:	orded	6a (p.27)
IV.8	Have you been shown how to express your breast milk		
	since you delivered?	□ No	5e (p.25)
IV.9	Have you been given written information		5 (25)
	on how to express breast milk?	⊔ No	5e (p.25)
IV.10	Has a staff member offered you help with breastfeeding		
	since you got to your room? \square Yes [If not breastfeeding \square IV.15]	□ No	5a (p.24)
IV.11	Have you been offered help with positioning and attachment? $\ \square$ Yes	□ No	5b (p.25)
IV.12	Could you show me what you've been told about how to position and attach your baby for breastfeeding?	4	
	[It is acceptable for the mother to demonstrate by feeding		5c (p.25)
	her baby, or to demonstrate by holding her baby or a doll in position while describing what she has been told.]	KIIOW	э с (р.23)
	[Key points: Baby's body turned to mother, close, stomach to stomach;		
	mouth wide open, lower lip not folded in; chin touching breast; more of		
	areola below nipple in mouth; rhythmic burst-pause suckling and swallowing]		
IV.13	Have any limitations been put on how often or how long		
		□ No	8a (p.28)

IV.14	What advice have you been given by the staff about when you should breastfeed your baby? [Don't read list. Probe if necessary]	
	 □ Whenever the baby seems hungry (or as often as he/she wants to breastfeed) □ Every hours (List number of hours the mother mentions.) □ Other (describe): 	
	Not given any advice about this (Note: Correct answer is "Whenever baby seems hungry" or a similar answer indicating that the mother knows to feed "on demand".)	8b (p.28)
IV.15	Has your baby stayed with you in your room/bed/near your bed at all while	72 (n 27)
	you've been in the hospital? □ Yes □ No [> IV.18 or, if mother not breastfeeding, > End]	7a (p.27)
IV.16	[For mothers delivering vaginally:] How soon after birth did your baby begin staying in your room/bed/near your bed? [For mothers delivering by caesarean:] How soon after you were able to respond to your baby did your baby begin staying in your room/bed near your bed?	7a (p.27)
IV.17	Has your baby been separated from you for more than one hour at any time during your stay? □ Yes □ No [If yes:] Why?	
	Reason is valid: □ Yes □ No	7b (p.27)
	(Note: The baby should not be separated from the mother for more than one hour, except if there is a valid reason.)	
	[If mother not breastfeeding > End]	
IV.18	Have you been given any advice about where to get help if you have problems with breastfeeding after you leave this facility? □ Yes □ No[►End]	10a (p.29)

IV.19	[If yes] What advice were you given? [Do not read. Probe if necessary]	
	 □ Call or visit this or another health facility □ Ask for help from a mother support group □ Ask for help from a community worker □ Other [specify:] 	_
	Advice is appropriate, given local situation	No 10b (p.29)
IV.20	Have you been given any written information about where or how to get help if you have problems with breastfeeding after you leave this facility?	No 10c (p.30)
END	Thank you very much for your time	

	V. Interview with staff men (Maternity services inter		
		m, labor, etc.):	
	Name of assessor: Date:	/ / (dd / mm / yy)	
<i>[INSE</i> aspect your ti	luction: Good (morning/afternoon/evening). My name is [INSER PRT THE NAME OF THE ORGANIZATION YOU WORK FOR]. It is of the services here, in particular, about how babies are fed. Our ime. This is not a test. Our purpose is to try to improve/keep a high-formation you will give me will be kept confidential.	We are interested in learning a discussion will take about 5	nore about some to 10 minutes of
V.1	[Include only staff members in the sample that have been hir	ay and month Year ed six or more months ago.	f the staff
	member has been on the staff less than six months, thank him	or her and terminate the in	terview.]
V.2	What is your position here in the maternity service? Physician Midwife Nurse Auxiliary worker, type: Other [specify:]		
V.3	Have you received any training in breastfeeding and lactation management while you have been on the staff of this hospital?		2b (p.22)
V.4	Have you had some on the job training?	☐ Yes ☐ No	2b (p.22)
	[If Yes:] How many total hours was it?	hours	-
	Now, I'm going to ask you a few questions about breas you do not know the answers to some of them, as it is r knowledge in particular, and your name will be kept co	ot a test of your	
V.5	Do you teach or show mothers how to position and attach their infants for breastfeeding?		
V.6	Could you please: demonstrate how you teach positioning and attachr by teaching a mother with a baby on the ward, or show me a mother whose breastfeeding baby is correctly positioned and attached and describe why show me how you would teach a mother, by teaching your usual way, using a doll, and describing the key	☐ Correct ☐ Incorrect f, or Attachment: ☐ Correct ☐ Correct	5d (p.25)

mouth wide open, lower lip not folded in; chin touching bree areola below nipple in mouth; rhythmic burst-pause sucklin swallowing]		of		
Do you show or teach mothers how to express their breast milk by hand?	J Yes	□ No /□ <i>V</i> .:	97	
·		•	,	
Please describe the technique for expressing milk by hand that you teach to mothers:	🗖 ì	Acceptable Not acceptable Didn't describ		(p.25
[Key points: Thumb on areola, fingers opposite; press inwar slide fingers on skin; repeat press-release for several minute let-down reflex; rotate around nipple to compress all sinuses [Note: It is not expected that staff will demonstrate with a mo	s; stimula :]			
What effects can giving formula or water before the milk	comes i	n		
have on the success of breastfeeding? (Probe if necessary		••		
· · · · · · · · · · · · · · · · · · ·	Correct			
		t or inadequat	te	
	Didn't a	inswer	te	
	Didn't a sion if giv	inswer ven	te	
[Key points: Less desire of infant to breastfeed; nipple confu by bottle; increased risk of allergy; may lead to mother feelin Note: Staff member should mention at least two key points for the response to be considered "correct".	Didn't a sion if giv	inswer ven	te	
[Key points: Less desire of infant to breastfeed; nipple confu by bottle; increased risk of allergy; may lead to mother feelin Note: Staff member should mention at least two key points	Didn't a sion if giv	inswer ven uate]	te	
[Key points: Less desire of infant to breastfeed; nipple confu by bottle; increased risk of allergy; may lead to mother feelin Note: Staff member should mention at least two key points for the response to be considered "correct".	Didn't a sion if giving inadequ	enswer ven uate] errect correct	te	
[Key points: Less desire of infant to breastfeed; nipple confu by bottle; increased risk of allergy; may lead to mother feelin Note: Staff member should mention at least two key points for the response to be considered "correct". What is the major cause of painful nipples?	Didn't a sion if giv ng inadequ Co Inc	enswer ven uate] orrect correct dn't answer	te	
[Key points: Less desire of infant to breastfeed; nipple confu by bottle; increased risk of allergy; may lead to mother feelin Note: Staff member should mention at least two key points for the response to be considered "correct". What is the major cause of painful nipples?	Didn't a sion if giv ng inadequ Co Inc	enswer ven uate] orrect correct dn't answer	te	
[Key points: Less desire of infant to breastfeed; nipple confu by bottle; increased risk of allergy; may lead to mother feelin Note: Staff member should mention at least two key points for the response to be considered "correct". What is the major cause of painful nipples? [Key points: Poor attachment; baby not taking enough of breathers.]	Didn't a sion if giv ng inadequ Co Inc	enswer ven uate] orrect correct dn't answer	te	
[Key points: Less desire of infant to breastfeed; nipple confu by bottle; increased risk of allergy; may lead to mother feelin Note: Staff member should mention at least two key points for the response to be considered "correct". What is the major cause of painful nipples?	Didn't a sion if giv ng inadequ Co Inc	enswer en uate] errect correct dn't answer mouth]	te	
[Key points: Less desire of infant to breastfeed; nipple confu by bottle; increased risk of allergy; may lead to mother feelin Note: Staff member should mention at least two key points for the response to be considered "correct". What is the major cause of painful nipples? [Key points: Poor attachment; baby not taking enough of breathers.]	Didn't a sion if giv ng inadequ Co Inc Diceast into n	enswer en uate] errect correct dn't answer mouth]	te	
[Key points: Less desire of infant to breastfeed; nipple confu by bottle; increased risk of allergy; may lead to mother feelin Note: Staff member should mention at least two key points for the response to be considered "correct". What is the major cause of painful nipples? [Key points: Poor attachment; baby not taking enough of brown what is the most common cause of insufficient milk?	Didn't a sision if given ginadeque. Co Didentification in the control of the con	enswer en uate] errect correct dn't answer mouth]	te	
[Key points: Less desire of infant to breastfeed; nipple confu by bottle; increased risk of allergy; may lead to mother feelin Note: Staff member should mention at least two key points for the response to be considered "correct". What is the major cause of painful nipples? [Key points: Poor attachment; baby not taking enough of breathers.]	Didn't a sion if given ginadeque. Co Inc. Dide east into no inc. Dide inc.	enswer en uate] errect correct dn't answer mouth]	te	

VI. Interview with pregnant woman No.____ (Prenatal services interview)

			ility:	
		Name of assessor: Date:	/	
			(dd / mm / yy	7)
<i>INSER</i> interact your tir answers	action: Good (morning/afternoon/ever TTHE NAME OF THE ORGANIZATION with the staff here and your ideas ne. You are free to decide not to answer will be confidential and your name we make the hospital can best provide	ON YOU WORK FOR about breastfeeding. For the questions, if you fill not be used in any	RJ. We are interested in lead of the control of	arning more about you bout 5 to 10 minutes o se to talk with me, you would be very helpful in
[Note: .	or of weeks gestation:			ks
Numbe	er of prenatal visits before this one:		vis	its
VI.1.	During your prenatal care, has a s you information on the benefits of		□ Yes □ 1	No 3b (p.23)
VI.2.	Can you tell me two of the benefit	ts of breastfeeding?	🗇 Yes 🗇]	No
	[If Yes] What are they? [Key Points: to mother]	nutritional, protectiv	e, bonding, health benefi.	ts
	1		Mother listed two Mother listed one or no	one 3b (p.23)
VI.3.	Has a staff member talked to you [Read list below]	about any of the following	lowing topics?	
	 Importance of breastfeeding Importance of rooming-in? Positioning and attachment? Importance of feeding on de What a mother can do to ensishe produces enough milk for Importance of giving your beautiful for topics were discussed, Find 	mand?sure that or her baby?aby only breast milk	☐ Yes ☐ 1 ☐ Yes ☐ 1 ☐ Yes ☐ 1 ☐ Yes ☐ 1	No No No

Baby-friendly Hospital Initiative Reassessment tool

Pregnant woman interview

√I.4.	Could you describe briefly what you know about any two of these topics? [If Yes:] Please describe:	🗇 Yes 🗇 No	
	1.	☐ Mother described two adequately	
	2.	☐ Mother described one or none	3c (p.23)

END. Thank you very much for taking the time to answer these questions.

	VII. Interview wi (of baby in s			
	1	Name of health facility: Name of ward: Name of interviewer: Date:	/ / (dd / mm / yy)	
[INSER about sediscuss question your na	morning/afternoon/evening). My name is RT THE NAME OF THE ORGANIZATION ome aspects of the services here, in particular will take about 5 to 10 minutes of your ons, if you'd rather not. If your agree to ansame will not be used in any way. Your particular and best provide support to mothers and	YOU WORK FOR]. We alar, about your interaction time. You are free to determine the questions, your accipation would be very here.	e are interested in le ons with the staff had answer answers will be con	earning more ere. Our the fidential and
VII.1.	When was your baby born?:// dd / mm	/ / yy)		
VII.2.	Have you started to breastfeed your baby	yet? Yes □ [>	<i>VII.4.]</i> No □	
VII.3.	Do you plan to breastfeed your baby sometime later on?	Yes □ No □ I	Oon't know □	
VII.4.	Have you been shown or given information member on how to start your breast milk	on by any staff coming?	Yes □ No □	5g (p.26)
VII.5.	Have you been shown or given information member on how to maintain the supply (express your breast milk)?	that is, how to	Yes □ No □	5h (p.26)
VII.6.	What has the staff told you about how of to breastfeed or to express your breast m (Do not read list. Probe if necessary.)		ply?	
	☐ 6-8 times or more in 24 hours ☐ 4-5 times in 24 hours ☐ 2-3 times in 24 hours ☐ Other (describe): ☐ Not given any advice about this		☐ Correct☐ Incorrect	5i (p.26)
	(Note: Correct answer is "6-8 times in 24 h	ours")		
END.	Thank you very much for taking the time to	o answer these questions	i.	
иллол	Wallefort	17		

Baby-friendly Hospital Initiative Reassessment visit: Data summary and reporting forms

Reassessment visit: Summary of data collected

Step 1. Have a written breastfeeding policy that is routinely communicated to all health care staff.

ıa.	Policy displayed	
	Policy available in all areas serving mothers/infants □ Yes □ No - Areas where the policy is not displayed:	
	[Key: "Yes" = 100 %, "No" = 0 %]	[III.1.1.]
1b.	No posters or materials promoting breast-milk substitutes	
	There are no posters or other materials that promote breast-milk substitutes (BMS), bottles or pacifiers displayed in the facility No posters/materials displayed Some posters/materials displayed	
	[Key: "No posters/materials displayed" = 100%, "Some posters/materials displayed" = 0%]	[III.1.2.]
	Total % for Step 1:% (1a) +% (1b) ÷ 2 =%	
tep 2.	Train all health care staff in skills necessary to implemen	t this
	policy.	
2a.	Staff receiving 18 hours training (from records)	
2a.		[II.1.]
2a.	Staff receiving 18 hours training (from records)	
2a.	Staff receiving 18 hours training (from records) Number staff members that care for mothers and infants	[II.1.]
9/	Staff receiving 18 hours training (from records) Number staff members that care for mothers and infants	[II.1.]

	Of the randomly selected staff, the following reported that they had received at least 18 hours of training on breastfeeding management:	
	1 2 3 4 5 6 7 8 9 10	
	out of (Total staff interviewed) =%	[V.3., V.4.]
2c.	Staff with correct breastfeeding management knowledge	
	Of the randomly selected staff, the following were able to answer correctly at least two out of three questions on breastfeeding management:	
	out of (Total staff interviewed) =%	[V.9 - 11]
To	tal % for Step 2:% (2a) +% (2b) +% (2c) ÷ 3 =%	
Step 3.	Inform all pregnant women about the benefits and man breastfeeding.	agement of
	The hospital provides some prenatal care for pregnant women	
3a.	The hospital does <i>not</i> provide any prenatal care for pregnant women \Box	
3a.	The hospital does not provide any prenatal care for pregnant women (Note: If hospital does not provide any prenatal care, skip this section)	[III.2.1.]
3a.	The hospital does not provide any prenatal care for pregnant women (Note: If hospital does not provide any prenatal care, skip this section) Written description of prenatal education and topics covered	[III.2.1.] [III.2.2.]
3a.	The hospital does not provide any prenatal care for pregnant women (Note: If hospital does not provide any prenatal care, skip this section) Written description of prenatal education and topics covered There is a written description of the prenatal education	<u> </u>

30.	could list at least two of the benefits.									
	Of the randomly selected pregnant women, the following reported that during prenatal care a staff member had given them information on the benefits of breastfeeding, and they could list at least two of the benefits:									
	1 2 3 4 5 6 7 8 9 10									
	out of (Total pregnant women interviewed) = %	[VI.1., VI.2.]								
3c.	Pregnant women informed about management of breastfeeding who could describe two topics.									
	Of the randomly selected pregnant women, the following reported that staff members had talked with them about at least two topics on breastfeeding management, and could adequately describe them:									
	1 2 3 4 5 6 7 8 9 10									
	out of (Total pregnant women interviewed) = %	[VI.3., VI.4.]								
Total o	% for Step 3:									
	$_{\%}$ (3a) + $_{\%}$ (3b) + $_{\%}$ (3c) ÷ 3 = $_{\%}$									
F										
Step 4.	Help mothers initiate breastfeeding within a half-hour of	birth.								
4a.	Babies breastfed within one hour of birth (vaginal deliveries)									
	Of the randomly selected mothers with vaginal deliveries, the following reported that they breastfed their babies within one hour of birth: [If the mothers delivered by c-section, circle their numbers and mark them "CS" and do not include them in the totals. If the mothers are not breastfeeding, circle their numbers and mark them "NBF" and do not include them in the totals.]									
	1 2 3 4 5 6 7 8 9 10									
	out of (Total BF mothers with vag. deliveries) =%	[IV.1., IV.4.]								

4b.	Babies breastfed within one hour of mothers being able to respond (caesarean)
	Of the randomly selected mothers with caesarean section deliveries, the following reported that they breastfed their babies within one hour of being able to respond: [If the mothers delivered vaginally, circle their numbers and mark them "VD" and do not include them in the totals. If the mothers are not breastfeeding, circle their numbers and mark them "NBF" and do not include them in the totals.]
	1 2 3 4 5 6 7 8 9 10 [IV.1, IV.4]
	out of (Total BF mothers with c-section) =%
4c.	Babies breastfeed within one hour (vaginal deliveries and caesarean)
	[Enter the data of babies from both the vaginal deliveries (4a) and caesarean sections (4b) in the boxes below:]
	1 2 3 4 5 6 7 8 9 10
	out of (Total BF mothers) =%
	Total % for Step 4: = % (4c)
Step 5.	Show mothers how to breastfeed and how to maintain lactation, even if they should be separated from their infants.
5a.	Mothers offered help with breastfeeding
	Of the randomly selected mothers, the following reported that the staff offered help with breastfeeding since they arrived to their rooms:
	1 2 3 4 5 6 7 8 9 10
	out of (Total mothers interviewed) =% [IV.10]

5b.	Moth	ers offe	red hel	p with	positio	ning/at	tachme	ent				
	Of the randomly selected mothers who were breastfeeding, the following reported that they had been offered help with positioning and attachment: [If the mothers are not breastfeeding, circle their numbers and mark them "NBF" and do not include them in the totals.]											
	□ 1	□ 2	□3	1 4	1 5	5 6	J 7	□ 8	□9	□ 10		
			out of	(7	Fotal I	3F motl	hers int	erview	ed) = _	%		[IV.11]
5c.	Moth	iers dei	monstr	ating co	orrect	positior	ning/att	achme	nt			
	were [If the	able to mother	demons s are no	ected mo strate/de st breastf d do not	scribe feeding,	correct circle th	position heir num	ing and	lattach	ollowing ment:		
		□ 2	□ 3	1 4	1 5	□ 6	1 7	□ 8	□9	□ 10		
	-	(out of _	(Total l	BF mot	hers int	erview	ed) = _	%		[IV.12]
5d.	Of th	e rando	mly sele	g corre ected he w and de	alth ca	re staff,	the foll	owing v				
		□ 2	□ 3	1 4	5	□ 6	1 7	□ 8	□9	□ 10	,	
		-		out of _		(Total s	staff int	erview	ed) = _	%	•	[V.6]
5e.	Moth	ners tau	ight ho	w to ex	press r	nilk						
			-	ected mo given in			_	_		-		
	1	□ 2	□3	□ 4	5	□6	1 7	□ 8	- 9	□ 10		
			out	of	(To	tal mot	hers int	erview	ed) = _	%		[IV.8, IV.9]
5f.	Staff	describ	oing ac	ceptabl	e techi	nique fo	r milk	expres	sion			
	to des		n accept	ected he table tec s:				_				
	1	□ 2	3	□ 4	□ 5	1 6	7	□ 8	⊒9	1 0		
				_ out of	F	(Total	staff in	terview	/ed) = _	%		[V.8]

_	3.6 (1	141 1 1 1	•		1 L	
⊃g.	Mothers	with babies	in specia	i care snown	now to t	egin lactating

Of the randomly selected mothers of babies in special care, the following reported that they had been shown or given information by staff on how to start their breast milk coming:

 $\Box 1$ $\Box 2 \quad \Box 3$ $\Box 4$

[VII.4] __ out of ____ (Total mothers interviewed) = ____%

5h. Mothers with babies in special care shown how to express breast milk

Of the randomly selected mothers of babies in special care, the following reported that they had been shown, or given information by staff on, how to maintain milk supply (express their breast milk):

 $\Box 2 \quad \Box 3 \quad \Box 4$ \Box 5 $\Box 1$

> _____ out of _____ (Total mothers interviewed) = _____% [VII.5]

Mothers with babies in special care who know how often to breastfeed or express milk

Of the randomly selected mothers of babies in special care, the following reported correct information on how often they needed to breastfeed or express their breast milk to maintain the supply:

 $\Box 1$

> out of _____ (Total mothers interviewed) = _____% [VII.6]

Total % for Step 5:

[IV.17]

Neussess	meni	1001								summary o	j aaia conecie
Step 6.					ts no icated		or dri	nk ot	her th	an breast	milk,
6a.	Babies	breast	tfeeding	g exclu	sively						
	babies minera	had re	ceived i lements	no food , or me	or fluid	d other	han bre	east mil	that the k (or vit	amins,	
	1	□ 2	□3	□ 4	5	1 6	7	□ 8	1 9	□ 10	
			_ out	of	(Tot	al motl	ners int	erview	red) = _		[IV.7]
					T	otal '	% for	Step	6:	%	
Step 7.				_	— all s a da		othe	rs and	l infai	nts to rem	ain
7a.					one ho		rth				·
	babies one ho	were rour of b	ooming irth or,	g-in and in the c	that the	ey had l caesarea	oegun s n, with	taying t	that the together nour of	within	
		□ 2	3	□ 4	□ 5	□ 6	7	□ 8	□9	□ 10	FDV 1.5
			out	of	(Tot	al mot	ners int	terview	red) = _	º/o	[IV.15, IV.16]
7b.	Moth	ers and	l babie	s not se	eparate	d for n	ore th	an one	hour		
	babies	s had no	ot been	separat		them f	or more	than a	that the		
		□2	□3	□ 4	□5	□6	□ 7	□ 8	- 9	□ 10	

_____ out of _____ (Total mothers interviewed) = ______%

Total % for Step 7:

Summary of data collected Reassessment tool Step 8. Encourage breastfeeding on demand. 8a. No limitations put on mothers breastfeeding Of the randomly selected mothers who were breastfeeding, the following reported that no limitations had been put on how often or how long they breastfed: [If the mothers are not breastfeeding, circle their numbers and mark them "NBF" and do not include them in the totals.] $\Box 2$ $\Box 3$ $\Box 4$ $\Box 5$ $\Box 6$ $\Box 7$ $\Box 8$ $\square 9$ \Box 10 [IV.13] out of _____(Total BF mothers interviewed) = _____% 8b. Mothers advised to breastfeed on demand Of the randomly selected mothers who were breastfeeding, the following reported that they had been advised to breastfeed their babies whenever they were hungry, or as often as the babies wanted: [If the mothers are not breastfeeding, circle their numbers and mark them "NBF" and do not include them in the totals.] $\square 2$ $\square 3$ $\square 4$ $\square 5$ $\square 6$ $\square 7$ $\square 8$ \Box 9 out of ____ (Total BF mothers interviewed) = _____% [IV.14] **Total % for Step 8:**

Step 9. Give no artificial teats or pacifiers (also called dummies or soothers) to breastfeeding infants.

9a. Babies not given pacifiers

Of the randomly selected mothers who were breastfeeding, the following reported that their babies had not been given pacifiers or dummies to suck on (that is, they answered "No" to question IV.5): [If the mothers are not breastfeeding, circle their numbers and mark them "NBF" and do not include them in the totals.]

		out o	of	(Total	BF mo	thers in	ntervie	wed):	%	[IV.5]
] 1	1 2	3	□ 4	□ 5	□ 6	7	□ 8	□ 9	□ 10	

28

9b.	Babies	not	fed	with	bottles	

Of the randomly selected mothers who were breastfeeding, the following reported that their infants had not been fed with bottles (that is, they answered "No" to question IV6):

[If the mothers are not breastfeeding, circle their numbers and mark them "NBF" and do not include them in the totals.]

1 1 2 3 4 5 6 7 8 9 10 [IV.6]

— out of ____ (Total BF mothers interviewed) = _____%

Total % for Step 9:

 $_{---}\% (9a) + _{---}\% (9b) \div 2 = %$

Step 10. Foster the establishment of breastfeeding support groups and refer mothers to them on discharge from the hospital or clinic.

10a. Mothers given advice on where to get help with breastfeeding

Of the randomly selected mothers who were breastfeeding, the following reported that they had been given advice on where to get help if they had problems with breastfeeding after leaving the facility:

[If the mothers are not breastfeeding, circle their numbers and mark them "NBF" and do not include them in the totals.]

□ 1 □ 2 □ 3 □ 4 □ 5 □ 6 □ 7 □ 8 □ 9 □ 10

____out of ____(Total BF mothers interviewed): ____% [IV.18]

10b. Mothers who could list at least one appropriate way they were advised to get help.

Of the randomly selected mothers who were breastfeeding, the following could list at least one appropriate way they had been advised to get help: [If the mothers are not breastfeeding, circle their numbers and mark them "NBF" and do not include them in the totals.]

_____ out of _____ (Total BF mothers interviewed): ______%

[IV.19]

10c. Mothers receiving written information on where to get help	
Of the randomly selected mothers who were breastfeeding, the following reported that they had received written information on where to get help if they had problems with breastfeeding after leaving the facility:	
1 2 3 4 5 6 7 8 9 10	
out of (Total BF mothers interviewed) :%	[IV.20]
10d. Adequacy of written information and its distribution to mothers before discharge	
Review indicates that written information on where mothers can get help after discharge is provided to mothers before discharge along with an appropriate explanation and contains one or more useful suggestions	
[Key: "Yes" = 100%, "No" = 0%]	[III.3.1.]
Total for Step 10: % (10a) + % (10b) + % (10c) + % (10d) ÷ 4 =%	
(Alternate scoring in hospital where mothers don't receive information on where to get help until right before discharge):	
Total for Step 10: % (10d) = %	
Item 11. Free and low-cost breast-milk substitutes and samples.	
11a. Free or low-cost breast-milk substitutes not accepted	
Free or low-cost supplies of breast-milk substitutes are <i>not</i> accepted by the health care facility	[III.4.1.]
[Key: "Are not accepted" = 100%, "Are accepted" = 0%]%	

11b. Breast-milk substitutes purchased for at least 80% of retail value	
Breast-milk substitutes, including special formulas, are purchased by the health care facility for at least 80% of retail value	[III.4.2.]
[Key: "Yes" = 100%, "No" = 0%]	
11c. Facility does not allow gift packs with breast-milk substitutes and samples	
The health facility does <i>not</i> allow gift packs with breast-milk substitutes, bottles or teats to be distributed to pregnant women or mothers □ Does <i>not</i> allow □ Allows	[III.4.3.]
[Key: "Does not allow" = 100 %, "Allows" = 0%]	
Total BMS:% (11a) + % (11b) + % (11c) ÷ 3 = %	


Baby-friendly Hospital Initiative

Reassessment visit:

Hospital name:	
Address:	
Name(s) of assessor(s):	· · · · · · · · · · · · · · · · · · ·
Date:	


Step 1: Have a written breastfeeding policy that is routinely communicated to all health care staff.

% %
%




Step 2: Train all health care staff in skills necessary to implement this policy.

Results	
2a. Staff receiving 18 hours training	% %
Step 2: Training (overall score)	%
Comments and suggestions	




Step 3: Inform all pregnant women about the benefits and management of breastfeeding.

Results
3a. Percentage of topics covered in the description of prenatal education
Step 3: Prenatal education (overall score) %
Comments and suggestions



Step 4: Help mothers initiate breastfeeding within a half-hour of birth.


Results	
4a. Babies breastfed within one hour of birth (vaginal deliveries) 4b. Babies breastfed within one hour of mother able to respond (c-sections)	% %
Step 4: Early initiation (overall score)	%
Comments and suggestions	




Step 5: Show mothers how to breastfeed and how to maintain lactation, even if they should be separated from their infants.

Results	
Helping mothers to breastfeed	
5a. Mothers offered help with breastfeeding	%
5b. Mothers offered help with positioning/attachment	%
5c. Mothers demonstrating correct positioning/attachment	
5d. Staff demonstrating correct positioning/attachment	<u></u> %
Assistance with milk expression	
5e. Mothers taught how to express milk	%
5f. Staff describing acceptable technique for milk expression	%
	. I
Assistance for mothers with babies in special care:	
5g. Mothers shown how to begin lactating	
5h. Mothers shown how to express breast milk	<u></u> %
5i. Mothers shown how often to breastfeed or express milk	_%
Step 5: Teaching mothers to breastfeed (overall score)	%
Comments and suggestions	
	ļ
	,
	j
	ļ
	ļ


Helping mothers to breastfeed




Assistance with milk expression




Assistance for mothers with babies in special care






Step 6: Give newborn infants no food or drink other than breast milk, unless *medically* indicated.

Results	
6a. Babies breastfeeding exclusively	%
Step 6: Exclusive breastfeeding (overall score)	%
Comments and suggestions	




Step 7: Practise rooming-in — allow mothers and infants to remain together — 24 hours a day.

%
%




Step 8: Encourage breastfeeding on demand.

Results	
8a. No limitations put on mothers breastfeeding	% %
Step 8: Breastfeeding on demand (overall score)	%
Comments and suggestions	
	3




Step 9: Give no artificial teats or pacifiers to breastfeeding infants.

Results	
9a. Babies not given pacifiers	%
Step 9: No bottles or pacifiers (overall score)	%
Comments and suggestions	
	:




Step 10: Foster the establishment of breastfeeding support groups and refer mothers to them on discharge from the hospital or clinic.

Results	
 10a. Mothers given advice on where to get help with breastfeeding. 10b. Mothers who can list one appropriate way to get help 10c. Mothers receiving written information on where to get help 10d. Adequacy of written information provided 	
Step 10: Mother support (overall score)	
Comments and suggestions	



Item 11: Free and low-cost breast-milk substitutes (BMS) and samples.

Results	
11a. Free and low cost supplies of BMS not accepted	_ % _ % _ %
Item 11: Breast-milk substitutes (overall score)	%
Comments and suggestions	
·	



Baby-friendly Hospital Initiative Reassessment visit: Action plans

Baby-friendly Hospital Initiative Reassessment tool

Name of hospital:	Date:	Key contact for plan: _

Action plan

Results	expected			
Person(s)	responsible			
Timeline (in months)				
Step(s)1				
Action				

1 List which of the "Ten Steps" of BFHI the action helps to improve. Each action may be related to one or more of the steps. [Use more pages, if necessary]

51

Baby-friendly Hospital Initiative Reassessment tool

		_				
			Results expected			
Name of hospital:	Key contact for plan: _		Person(s) responsible			
		Action plan	Timing			
		Act	$\mathrm{Step}(s)^1$			
			Action			

List which of the "Ten Steps" of BFHI the action helps to improve. Each acti

53

Section IV:

Baby-friendly Hospital Initiative

Computerized reporting system for BFHI monitoring

Prepared by the

World Health Organization and Wellstart International



Table of contents

Comp	outerized reporting system for BFHI monitoring	
	Introduction	1
	Directions	1
Annex	x: Sample printouts from computerized reporting system	
	Data entry form—monitoring period 1	
	Data entry form—monitoring period 2	
	Report on results (2 monitoring periods)	



Computerized reporting system for BFHI monitoring

Introduction

This computerized system for calculating and reporting on data gathered using the BFHI Monitoring Tool is designed to allow the user to easily enter the data, automatically calculate percentages, and automatically convert the data into a graph form that can then be reviewed and analyzed or copied to overheads for presentations. It has been constructed using Microsoft Excel to allow reporting on four consecutive monitoring periods. The user only needs basic computer skills to operate this programme and does not need to have had experience with Excel.

An example printout of the computerized system for a fictitious hospital named "General Hospital" has been provided on the following pages. This example includes completed data entry forms for two monitoring periods (monitoring periods I and II) and the graphs created from this fictitious data. This example allows you to see exactly what the computerized system can do for you.

Two versions of the computerized system have been provided on the enclosed diskette to accommodate different computer systems. If your computer has Microsoft Excel 5.0 or lower, choose (BFH11.xls) and if you have any Excel version above 5.0 choose (BFH12.xls).

Directions

Tips for First Time Excel Users

- Before using the programme, save two copies onto your hard drive (in case something happens to one, you have a back-up).
- The "tabs" at the bottom of the screen can be thought of as tabs in a binder notebook with different information behind each tab. When you click on a particular tab, the screen will display the information in that part of the document.
- The arrows on the far bottom left corner allow you to scroll across all of the tabs (▶).
- The scroll bar on the right side of the screen allows you to go up and down the document you are viewing.
- "Cells" are the boxes where information is entered. Cells are named by the corresponding column (A, B, C, etc.) and row (1, 2, 3, etc.) they fall under.
- #DIV/0! indicates that there is no data in the cells to calculate and should be disregarded when reviewing the data.

Directions for Entering Data

- 1. Click once on the tab at the bottom of the screen named MON I. (This is your data entry form for the first monitoring period.)
- 2. Click once on cell A4 and type the name of the hospital that is being monitored. (The hospital name will now show on all forms in the computerized system.)
- 3. Click once on cell A6 and type the date you want to show as the monitoring period.
- 4. Click once on cell **D10** and begin entering your data in the yellow colored cells.
- 5. Click once on tab named Step 1. (You will find there is one for each step.)
- 6. All the data that you enter in the "data entry form" (MON I) is automatically calculated and entered in the bar graphs for each of the Steps and Items. For Step 1 (and each of the other Steps and Items) the only information you will need to enter manually are any comments and suggestions, such as what the hospital is doing well and what improvements are needed. To type any comments and suggestions, double click in a cell towards the top left corner of the Comments and Suggestion box and begin typing. You will need to press the enter or return key on your keyboard when you are near the end of the box as if you were using a typewriter and continue typing in the next cell down. You may want to note the date you are making the comments and suggestions if you choose to keep them when you enter data for the next monitoring period.
- 7. Repeat step 6 to add comments and suggestions to any other Steps or Items.
- 8. The tab names Step totals chart 1 shows the totals for steps 1 through 5 and the tab names Step totals chart 2 shows the totals for steps 6 through 10. You will also see a tab named Item totals chart. This chart shows the totals for Items 11, 12, and 13. You do not need to do anything with these graphs except print them.
- 9. To print an individual worksheet (tab), simply click once on the **printer icon**. (It is recommended that you print each worksheet individually.) To print the entire Workbook (all tabs), click once on **File** and select **Print**. Under **Print What**, select **Entire Workbook** and then click **OK**.
- 10. You may print the last two tabs labeled **Totals** and **Step Totals** but they are not necessary for your review of the data and are primarily used to calculate the different graphs.
- 11. As mentioned earlier, you can use this system to report on up to four monitoring periods. When you are ready to enter the results from the second monitoring period, click once on the tab at the bottom of the screen named MON II. this is your data entry form for the second monitoring period.

Baby-friendly Hospital Initiative Computerized reporting system

- 12. Repeat steps 3 and 4.
- 13. Repeat steps 5-9. You can add comments and suggestions for the second monitoring period with a new date or you can first delete the comments and suggestions from the earlier period by clicking on the cell where you began typing and pressing the *delete* key.
- 14. Repeat steps 3 and 4 and 5-9 for the third and fourth monitoring periods (MON III and MON IV).

"DON'T FORGET TO SAVE!"

Baby-friendly Hospital Initiative Monitoring System Data entry form

Monitoring period I General Hospital

Jul-98

ENTER DATA ONLY IN CELLS THIS COLOR

Total number of mothers interviewed	ii i i i 30
Total number of breastfeeding mothers interviewed	24
Total number of breastfeeding mothers that delivered vaginally	18
Total number of breastfeeding mothers that delivered by Cesarean	÷, . +,.:6
Total number of mothers with follow-up interview	24
Total number of staff interviewed	10

	STEP 1: POLICY				
1a.	Policy is displayed in all required	if YES, type 1 and if NO, type 0			
ĺ	areas		1		
	Total percent for 1a		100%		
1b.	No posters or materials promoting				
	breast-milk substitutes, bottles or	if NO posters/materials displayed, type 1			
	pacifiers displayed in the facility	If SOME posters/materials displayed, type 0	- <u>-</u>		
	Total percent for 1b.		0%		
	Total percent for Step 1		50%		

	STI	EP 2: TRAINING	
2a.	Staff with 18 hours training (from records)	Number of staff who care for mothers and infants	10
		Number of these same staff who have received 18 hrs. of training (including a minimum of 3 hrs. of supervised clinical experience)	7
ļ			70%
		Number of staff who care for mothers and infants	10
		Number of these same staff who have not been trained but have been on the staff less	
		than 6 months and are scheduled to be trained within 6 months of joining the staff	2
			20%
	Total percent for 2a.		90%
2b.	Staff receiving 18 hours training (reported by staff)	Number of staff interviewed who care for mothers and infants	10
		Number of these same staff who reported they had received at least 18 hours of training on	
		breastfeeding management	8
	Total percent for 2b.		80%

1

Staff with correct breastfeeding management knowledge	Number of staff interviewed who care for mothers and infants	10
	Number of these same staff who were able to answer at least two out of three questions on breastfeeding management correctly	6
Total percent for 2c.	· · · · · · · · · · · · · · · · · · ·	60%
Trained staff scheduled for refresher training	Percentage of trained staff who have received or are scheduled to receive refresher training on breastfeeding at least every two years	65
Total percent for 2d.		65%
Total percent for Step 2		74%

	STEP 3: PRENATAL EDUCATION			
3a.	Written description of the prenatal education	If YES, type 1 and if NO, type 0	1	
	Total percent for 3a.		100%	
	Percentage of topics covered	Number of topics required in the prenatal education	7	
		Number of topics covered in the prenatal		
		education	4	
	Total percent for 3b.		57%	
	Total percent for Step 3		79%	

	STEP 4:	EARLY INITIATION	
4a.	Babies breastfed within 1 hour of birth (vaginal deliveries)	Number of breastfeeding mothers interviewed who delivered vaginally	18
		Number of these same mothers who breastfed their babies within 1 hour of birth	15
\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Total percent for 4a.		83%
4b.	Babies breastfed within 1 hour of their mother being able to respond (cesarean)	Number of breastfeeding mothers interviewed who delivered by cesarean Number of these same mothers who breastfed their babies within 1 hour of being able to respond	6 n
	Total percent for 4b.		50%
4c.	Babies breastfeed within 1 hour (vaginal and cesarean deliveries)	Number of breastfeeding mothers interviewed	24
		Number of these same mothers who breastfed their babies within 1 hour of delivery or of being able to respond	18
	Total percent for Step 4 (4c)		75%

	STEP 5: TEACHIN	G MOTHERS TO BREASTFEED	
5a.	Mothers offered help with		
	breastfeeding	Number of mothers interviewed	30
		Number of these same mothers offered help	
		with breastfeeding from the staff since they	
		came to their rooms	18
	Total percent for 5a.		60%
5b.	Mothers offered help with		
	positioning/attachment	Number of breastfeeding mothers interviewed	24
		Number of these same mothers who were	
		offered help with positioning/attachment	12
	Total percent for 5b.	VARIABLE (1888)	50%
5c.	Mothers demonstrating correct		J. 1
	positioning/attachment	Number of breastfeeding mothers interviewed	24
		Number of these same mothers who were able	
		to demonstrate/describe correct	
		positioning/attachment	9
	Total percent for 5c.	Ir 3	38%
5d.	Staff demonstrating correct		
	positioning/attachment	Number of staff interviewed	10
	_	Number of these same staff who were able to	
ŀ		demonstrate or show and describe correct	
İ		positioning/attachment	8
	Total percent for 5d.		80%
5e.	Mothers taught how to express milk		
		Number of mothers interviewed	30
		Number of these same mothers who reported	
		they had been shown or given information on	
		how to express their milk	18
	Total percent for 5e		60%
5f.	Staff describing acceptable technique	A Company of the control of the cont	
	for milk expression	Number of staff interviewed	10
		Number of these same staff who were able to	
		describe an acceptable technique for	
		expressing milk by hand that they teach to	
AL 34.25		mothers	5
	Total percent for 5f.		50%
Kara i	Total percent for Step 5		56%

STEP 6: EXCLUSIVE BREASTFEEDING				
6a.	Babies breastfeeding exclusively	Number of mothers interviewed	30	
		Number of these same mothers who reported their babies had received no food or fluid other than breast milk unless medically indicated	18	
	Total percent for 6a.		60%	
	Total percent for Step 6		60%	

	STEP 7: ROOMING-IN			
7a.	Babies rooming-in within 1 hour of birth	Number of mothers interviewed	30	
		Number of these same mothers who reported their babies were rooming-in and they had		
		started to stay together within 1 hour of birth or being able to respond	27	
	Total percent for 7a.		90%	
7b.	Mothers and babies not separated for more than 1 hour	Number of mothers interviewed	30	
		Number of these same mothers who reported their babies had not been separated from them for more than 1 hour since they came to their		
	Total percent for 7b.	rooms	24 80%	
	Total percent for Step 7		85%	

	STEP 8: BREASTFEEDING ON DEMAND			
8a.	No limitations put on mothers' breastfeeding	Number of breastfeeding mothers interviewed	24	
		Number of these same mothers who reported that no limitations had been put on how often or how long they breastfed	24	
\$24.45 \$24.45	Total percent for 8a.		100%	
	Mothers advised to breastfeed on demand	Number of breastfeeding mothers interviewed	24	
		Number of these same mothers who were advised to breastfeed their babies whenever they were hungry or as often as the babies wanted		
	Total percent for 8b	wanted	75%	
	Total percent for Step 8		88%	

	STEP 9: NO BOTTLES OR PACIFIERS		
9a.	Babies not given pacifiers	Number of breastfeeding mothers interviewed	24
		Number of these same mothers who reported their babies had not been given pacifiers or dummies to suck on	12
	Total percent for 9a.		50%
9b.	Babies not fed with bottles	Number of breastfeeding mothers interviewed	24
		Number of these same mothers who reported their babies had not been fed with bottles	10
	Total percent for 9b.		42%
	Total percent for Step 9		46%

	STEP 10: MOTHER SUPPORT		
10a.	Mothers given advice on where to get help with breastfeeding	Number of breastfeeding mothers interviewed Number of these same mothers given advice on where to get help if they had problems breastfeeding after leaving the facility	24
	Total percent for 10a		75%
10b.	Mothers who could list at least one appropriate way they were advised to get help	Number of breastfeeding mothers interviewed Number of these same mothers who could list at least one appropriate way they had been advised to get help	24 14
	Total percent for 10b.		58%
10c.	Mothers receiving written information on where to get help	Number of breastfeeding mothers interviewed	24
		Number of these same mothers who received written information on where to get help if they had problems with breastfeeding after leaving the facility	12
.72×	Total percent for 10c.		50%
	Total percent for Step 10		61%

ITEM 11: BREAST-MILK SUBSTITUTES AND SUPPLIES		
11a. Free or low cost breast-milk substitutes are not accepted by the health care facility	If not accepted, type 1 and if accepted type 0	1
Total percent for 11a		100%
11b. Breast-milk substitutes, including special formulas, are purchased by the health care facility for at least		
80% of retail value	If YES, type 1 and if NO type 0	1
Total percent for 11b.		100%
11c. The health facility does <i>not</i> allow gift packs with breast-milk substitutes, bottles or teats to be distributed to pregnant women or mothers	If does not allow, type 1 and if does type 0	
Total percent for 11c.	The description and his type of and his description	0%
Total percent for Item 11		67%

	ITEM 12: BREASTFEEDING PF	RACTICES FOR BABIES MONTHS OLD	
12a.	Babies breastfed in the last 24 hours	Number of mothers interviewed following discharge	24
	·	Number of these same mothers who reported	1.1
		their babies had been breastfed since the	
		same time yesterday	15
	Total percent for 12a.		63%
12b.	Babies breastfed exclusively in the	Number of mothers interviewed following	
	last 24 hours	discharge	24
		Number of these same mothers who reported	1
		their babies had received nothing other than	
		breast milk or vitamins, mineral supplements,	gertelend i
		or medicine since the same time yesterday	10
	Total percent for 12b.		42%
12c.	Babies <u>not</u> drinking from bottle or	Number of mothers interviewed following	
	nipple in the last 24 hours	discharge	24
		Number of these same mothers who reported	
		their babies had not drunk anything from a	
		bottle with a nipple or teat since the same time	
		yesterday	12
14: Y.	Total percent for 12c.		50%
	Total percent for Item 12		51%

	ITEM 13: DATA FROM REC	ORDS ON INFANT FEEDING PRACTICES	
13a.	Babies breastfed within 1 hour (early	Number of babies discharged in the period	
	initiation)	covered by the monitoring process	100
	·	Number of these same babies breastfeed	Frank Capping
·		within 1 hour of birth or within in 1 hour of	
		mother being able to respond (for Cesarean)	87
	Total percent for 13a.		87%
13b.	Babies breastfeeding at discharge	Number of babies discharged in the period	64
		covered by the monitoring process	100
		Number of these same babies breastfeeding at	
		discharge	90
	Total percent for 13b.		90%
13c.	Babies exclusively breastfed	Number of babies discharged in the period	
	•	covered by the monitoring process	100
		Number of these same babies exclusively	
i,		breastfed	80
	Total percent for 13c.		80%
13d.	Babies not bottle-fed	Number of babies discharged in the period	
		covered by the monitoring process	100
		Number of these same babies who did not	
		receive anything from a bottle	80
	Total percent for 13d.		80%
13e.	Babies rooming-in	Number of babies discharged in the period	
		covered by the monitoring process	100
		Number of these same babies who were	
		rooming-in during their stay in the health	
		facility	70
	Total percent for 13e.		70%
	Total percent for Item 13		81%

Baby-friendly Hospital Initiative Monitoring System Data entry form Monitoring period II General Hospital

Jan-99

ENTER DATA ONLY IN CELLS THIS COLOR

Total number of mothers interviewed	30
Total number of breastfeeding mothers interviewed	22
Total number of breastfeeding mothers that delivered vaginally	17
Total number of breastfeeding mothers that delivered by Cesarean	5
Total number of mothers with follow-up interview	24
Total number of staff interviewed	10

STEP 1: POLICY			
1a.	Policy is displayed in all required areas	If YES, type 1 and if NO, type 0	1
	Total percent for 1a.		100%
1b.	No posters or materials promoting		
	breast-milk substitutes, bottles or	If NO posters/materials displayed, type 1	
	pacifiers displayed in the facility	If SOME posters/materials displayed, type 0	1
	Total percent for 1b.		100%
	Total percent for Step 1		100%

	S	TEP 2: TRAINING	
2a.	Staff with 18 hours training (from records)	Number of staff who care for mothers and infants	10
		Number of these same staff who have received 18 hrs. of training (including a minimum of 3 hrs. of supervised clinical experience)	8
			80%
		Number of staff who care for mothers and infants	10
		Number of these same staff who have not been trained but have been on the staff less than 6 months and are scheduled to be trained within 6 months of initial the staff.	
		within 6 months of joining the staff	20%
	Total percent for 2a.		100%
2b.	Staff receiving 18 hours training (reported by staff)	Number of staff interviewed who care for mothers and infants	10
		Number of these same staff who reported they had received at least 18 hours of training on	
	Total percent for 2b.	breastfeeding management	80%

2c.	Staff with correct breastfeeding	Number of staff interviewed who care for	
1	management knowledge	mothers and infants	10
		Number of these same staff who were able to	
1		answer at least two out of three questions on	
		breastfeeding management correctly	·
	Total percent for 2c.		70%
2d.	Trained staff scheduled for refresher	Percentage of trained staff who have received	
i	training	or are scheduled to receive refresher training	
		on breastfeeding at least every two years	60
	Total percent for 2d.		60%
	Total percent for Step 2		78%

	STEP 3: PRENATAL EDUCATION		
3a.	Written description of the prenatal education	If YES, type 1 and if NO, type 0	100%
	Total percent for 3a.	The state of the state of the proportion	100%
3b.	Percentage of topics covered	Number of topics required in the prenatal education	7
		Number of topics covered in the prenatal	
		education	6
5.00	Total percent for 3b.		86%
	Total percent for Step 3		93%

	STEP 4: EARLY INITIATION			
4a.	Babies breastfed within 1 hour of birth (vaginal deliveries)	Number of breastfeeding mothers interviewed who delivered vaginally	17	
		Number of these same mothers who breastfed their babies within 1 hour of birth	14	
2.9	Total percent for 4a.		82%	
4b.	Babies breastfed within 1 hour of their mother being able to respond (cesarean)	Number of breastfeeding mothers interviewed who delivered by cesarean	5	
		Number of these same mothers who breastfed their babies within 1 hour of being able to respond	3	
	Total percent for 4b.		60%	
4c.	Babies breastfeed within 1 hour (vaginal and cesarean deliveries)	Number of breastfeeding mothers interviewed	22	
		Number of these same mothers who breastfed their babies within 1 hour of delivery or of		
		being able to respond	17	
	Total percent for Step 4 (4c)		77%	

Number of breastfeeding mothers interviewed Number of breastfeeding mothers who were offered help with positioning/attachment		STEP 5: TEACHIN	G MOTHERS TO BREASTFEED	
Number of these same mothers offered help with breastfeeding from the staff since they came to their rooms Total percent for 5a	5a.	Mothers offered help with		,
with breastfeeding from the staff since they came to their rooms Total percent for 5a b. Mothers offered help with positioning/attachment Total percent for 5b: C. Mothers demonstrating correct positioning/attachment Total percent for 5c. Mothers demonstrating correct positioning/attachment Total percent for 5c. I. Staff demonstrating correct positioning/attachment Total percent for 5c. I. Staff demonstrating correct positioning/attachment Total percent for 5c. I. Staff demonstrating correct positioning/attachment Total percent for 5d. I. Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. I. Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of staff interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.		breastfeeding	Number of mothers interviewed	30
Came to their rooms 609			Number of these same mothers offered help	
Total percent for 5a (b) Mothers offered help with positioning/attachment Number of breastfeeding mothers interviewed Number of these same mothers who were offered help with positioning/attachment Total percent for 5b			with breastfeeding from the staff since they	
Number of breastfeeding mothers interviewed Number of breastfeeding mothers interviewed Number of breastfeeding mothers who were offered help with positioning/attachment Total percent for 5b: IC. Mothers demonstrating correct positioning/attachment Total percent for 5c. IC. Staff demonstrating correct positioning/attachment Total percent for 5c. Staff demonstrating correct positioning/attachment Number of breastfeeding mothers interviewed Number of these same mothers who were able to demonstrate/describe correct positioning/attachment Number of staff interviewed Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Mothers taught how to express milk Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.			came to their rooms	18
Number of breastfeeding mothers interviewed Number of these same mothers who were offered help with positioning/attachment 10				60%
Number of these same mothers who were offered help with positioning/attachment Total percent for 5b: C. Mothers demonstrating correct positioning/attachment Number of breastfeeding mothers interviewed Number of these same mothers who were able to demonstrate/describe correct positioning/attachment Total percent for 5c. Id. Staff demonstrating correct positioning/attachment Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Id. Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Id. Staff describing acceptable technique for milk expression Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.	5b.	Mothers offered help with		
offered help with positioning/attachment Total percent for 5b. C. Mothers demonstrating correct positioning/attachment Number of breastfeeding mothers interviewed Number of these same mothers who were able to demonstrate/describe correct positioning/attachment Total percent for 5c. I. Staff demonstrating correct positioning/attachment Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. I. Mothers taught how to express milk Number of mothers interviewed Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.		positioning/attachment		22
Total percent for 5b C. Mothers demonstrating correct positioning/attachment Number of these same mothers who were able to demonstrate/describe correct positioning/attachment Total percent for 5c. C. Staff demonstrating correct positioning/attachment Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Number of mothers interviewed Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.				
Number of breastfeeding mothers interviewed Number of these same mothers who were able to demonstrate/describe correct positioning/attachment Total percent for 5c. Id. Staff demonstrating correct positioning/attachment Number of staff interviewed Number of staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Id. Staff demonstrating correct positioning/attachment Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 40°			offered help with positioning/attachment	
positioning/attachment Number of breastfeeding mothers interviewed Number of these same mothers who were able to demonstrate/describe correct positioning/attachment Total percent for 5c. 279		Total percent for 5b.		41%
Number of these same mothers who were able to demonstrate/describe correct positioning/attachment Total percent for 5c. 279 3d. Staff demonstrating correct positioning/attachment Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Number of mothers interviewed Number of these same mothers who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Number of mothers interviewed Number of these same mothers who were able to describe an acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.	5c.	Mothers demonstrating correct		1997.2
to demonstrate/describe correct positioning/attachment Total percent for 5c. id. Staff demonstrating correct positioning/attachment Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. ie. Mothers taught how to express milk Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 406 Total percent for 5f.		positioning/attachment		22
Total percent for 5c. 379 36d. Staff demonstrating correct positioning/attachment Total percent for 5d. 389 Total percent for 5e. Total percent for 5e. 591 Staff describing acceptable technique for milk expression Total percent for 5f. Total percent for 5e. Total percent for 5f.				
Total percent for 5c. id. Staff demonstrating correct positioning/attachment Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. ie. Mothers taught how to express milk Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. 5f. Staff describing acceptable technique for milk expression Number of staff interviewed Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 406			to demonstrate/describe correct	
Number of staff interviewed Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of staff interviewed Number of staff interviewed Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.			positioning/attachment	
positioning/attachment Number of staff interviewed Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 409				27%
Number of these same staff who were able to demonstrate or show and describe correct positioning/attachment Total percent for 5d. Mothers taught how to express milk Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 40°	5d.	·		
demonstrate or show and describe correct positioning/attachment Total percent for 5d. 70° 6e. Mothers taught how to express milk Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. 50° Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 40°		positioning/attachment		10
Total percent for 5d. Total percent for 5d. Mothers taught how to express milk Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 405			1	
Total percent for 5d. Mothers taught how to express milk Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. 50° Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.				
Mothers taught how to express milk Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. 50° Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.	and a fe		positioning/attachment	A 52 17 ± Austr
Number of mothers interviewed Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 409				70%
Number of these same mothers who reported they had been shown or given information on how to express their milk Total percent for 5e. 50° Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 40°	5e.	Mothers taught how to express milk	N 1 6 0 1 1 2 2 24	
they had been shown or given information on how to express their milk Total percent for 5e. 50. Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.				
how to express their milk Total percent for 5e. 50° Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 40°				
Total percent for 5e. Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.			· -	
Staff describing acceptable technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.	86 888A		Inow to express their milk	1
technique for milk expression Number of staff interviewed Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.				50%
Number of these same staff who were able to describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f. 40	51.	_ ,	Number of staff interviewed	1
describe an acceptable technique for expressing milk by hand that they teach to mothers Total percent for 5f.		reconsique for milk expression		1 <u>1</u>
expressing milk by hand that they teach to mothers Total percent for 5f.				ladi.
mothers 409				
Total percent for 5f. 40°			, , ,	
	80.8	Total narroat for Ef	Intoniera	Ano/
		Total percent for Step 5		48%

STEP 6: EXCLUSIVE BREASTFEEDING			
6a.	Babies breastfeeding exclusively	lumber of mothers interviewed	30
	Number of these same mothers who reported their babies had received no food or fluid other		11
	th	nan breast milk unless medically indicated	20
	Total percent for 6a.		67%
	Total percent for Step 6		67%

	STEP 7: ROOMING-IN		
7a.	Babies rooming-in within 1 hour of birth	Number of mothers interviewed Number of these same mothers who reported their babies were rooming-in and they had started to stay together within 1 hour of birth or	30
	Total percent for 7a.	being able to respond	28 93%
7b.	Mothers and babies not separated for more than 1 hour	Number of mothers interviewed	30
		Number of these same mothers who reported their babies had not been separated from them for more than 1 hour since they came to their rooms	20
	Total percent for 7b.		67%
	Total percent for Step 7		80%

8a.	No limitations put on mothers'		r i og å.
	breastfeeding	Number of breastfeeding mothers interviewed	22
	,	Number of these same mothers who reported	
		that no limitations had been put on how often	1 11.
	·	or how long they breastfed	22
	Total percent for 8a.		100%
8b.	Mothers advised to breastfeed on		andrai Langua
	demand	Number of breastfeeding mothers interviewed	22
	· ·	Number of these same mothers who were	, raid
		advised to breastfeed their babies whenever	
		they were hungry or as often as the babies	
		wanted	14
	Total percent for 8b.		64%
	Total percent for Step 8		82%

	STEP 9: NO BOTTLES OR PACIFIERS		
9a.	Babies not given pacifiers	Number of breastfeeding mothers interviewed	22
		Number of these same mothers who reported their babies had not been given pacifiers or	
	·	dummies to suck on	13
	Total percent for 9a.		59%
9b.	Babies not fed with bottles	Number of breastfeeding mothers interviewed	22
		Number of these same mothers who reported their babies had not been fed with bottles	11
	Total percent for 9b.		50%
	Total percent for Step 9		55%

STEP 10: MOTHER SUPPORT			
10a.	Mothers given advice on where to		1 1.
	get help with breastfeeding	Number of breastfeeding mothers interviewed	22
		Number of these same mothers given advice	1 1 1
		on where to get help if they had problems	
		breastfeeding after leaving the facility	17
	Total percent for 10a.		77%
10b.	Mothers who could list at least one		
	appropriate way they were advised to		
	get help	Number of breastfeeding mothers interviewed	22
		Number of these same mothers who could list	
		at least one appropriate way they had been	
		advised to get help	10
	Total percent for 10b.		45%
10c.	Mothers receiving written information		
	on where to get help	Number of breastfeeding mothers interviewed	22
		Number of these same mothers who received	i gatai
		written information on where to get help if they	
		had problems with breastfeeding after leaving	
		the facility	11
	Total percent for 10c.		50%
	Total percent for Step 10		58%


	ITEM 11: BREAST-M	ILK SUBSTITUTES AND SUPPLIES	
11a.	Free or low cost breast-milk substitutes are not accepted by the health care facility	If not accepted, type 1 and if accepted type 0	1
	Total percent for 11a.		100%
11b.	Breast-milk substitutes, including special formulas, are purchased by the health care facility for at least		
	80% of retail value	If YES, type 1 and if NO type 0	1
	Total percent for 11b.		100%
11c.	The health facility does not allow gift packs with breast-milk substitutes, bottles or teats to be distributed to		
	pregnant women or mothers	If does not allow, type 1 and if does type 0	U
	Total percent for 11c.		0%
	Total percent for Item 11		67%


	ITEM 12: BREASTFEEDING PR	RACTICES FOR BABIES MONTHS OLD	
12a . B	abies breastfed in the last 24 hours	Number of mothers interviewed following discharge	22
		Number of these same mothers who reported	
	e e	their babies had been breastfed since the	
		same time yesterday	13
T	otal percent for 12a.		59%
12b. B	abies breastfed exclusively in the	Number of mothers interviewed following	ala di di
la	ast 24 hours	discharge	22
		Number of these same mothers who reported	
		their babies had received nothing other than	
ŀ		breast milk or vitamins, mineral supplements,	
		or medicine since the same time yesterday	10
T	otal percent for 12b.		45%
12c. B	abies not drinking from bottle or	Number of mothers interviewed following	
ni	ipple in the last 24 hours	discharge	22
		Number of these same mothers who reported	
		their babies had not drunk anything from a	
		bottle with a nipple or teat since the same time	
		yesterday	10
	otal percent for 12c.		45%
T	otal percent for Item 12		50%

	ITEM 13: DATA FROM REC	ORDS ON INFANT FEEDING PRACTICES	
13a.	Babies breastfed within 1 hour (early	Number of babies discharged in the period	
	initiation)	covered by the monitoring process	100
		Number of these same babies breastfeed	r Viellag F
		within 1 hour of birth or within in 1 hour of	
		mother being able to respond (for Cesarean)	90
	Total percent for 13a.		90%
13b.	Babies breastfeeding at discharge	Number of babies discharged in the period	
		covered by the monitoring process	100
		Number of these same babies breastfeeding at	
		discharge	92
	Total percent for 13b.		92%
13c.	Babies exclusively breastfed	Number of babies discharged in the period	
		covered by the monitoring process	100
		Number of these same babies exclusively	
L		breastfed	82
	Total percent for 13c.		82%
13d.	Babies not bottle-fed	Number of babies discharged in the period	
		covered by the monitoring process	100
		Number of these same babies who did not	
		receive anything from a bottle	82
	Total percent for 13d.		82%
13e.	Babies rooming-in	Number of babies discharged in the period	
		covered by the monitoring process	100
		Number of these same babies who were	
		rooming-in during their stay in the health	
		facility	85
	Total percent for 13e.		85%
	Total percent for Item 13		86%

Step 1: Have a written breastfeeding policy that is routinely communicated to all health care staff.

	Jul. 1998	Jan. 1999	Date	Date
1a. Policy displayed	100%	100%	0%	0%
1b. No posters or materials promoting				
breast-milk substitutes	0%	100%	0%	0%
Total step 1: Policy	50%	100%	0%	0%





promoting breast-milk substitutes

■ Jan. 1999

■Jul. 1998


☑ Date


□Date

WHO/Wellstart

Step 2: Train all health care staff in skills necessary to implement this policy.


	Jul. 1998	Jan. 1999	Date	Date
2a. Staff with 18 hrs training (from records)	90%	100%	#DIV/0!	#DIV/0!
2b. Staff with 18 hrs. training (staff reported)	80%	80%	#DIV/0!	#DIV/0!
2c. Staff with correct breastfeeding management knowledge	60%	70%	#DIV/0!	#DIV/0!
2d. Trained staff scheduled for refresher training	65%	60%	0%	0%
Total step 2: Training	74%	78%	#DIV/0!	#DIV/0!






Step 3: Inform all pregnant women about the benefits and management of breastfeeding.


	Jul. 1998	Jan. 1999	Date	Date
3a. Written description of prenatal				
education	100%	100%	0%	0%
3b. Percentage of topics covered	57%	86%	0%	0%
Total step 3: Prenatal education	79%	93%	0%	0%






Step 4: Help mothers initiate breastfeeding within one half-hour of birth.

	Jul. 1998	Jan. 1999	Date	Date
4a. BF within 1 hr. of birth (vaginal				
delivery)	83%	82%	#DIV/0!	#DIV/0!
4b. BF within 1 hr. of mother able to				
respond (c-section)	50%	60%	#DIV/0!	#DIV/0!
Total step 4: Early initiation	75%	77%	#DIV/0!	#DIV/0!





🔟 Jan. 1999

Date

□ Date


■Jul. 1998


Step 5: Show mothers how to breastfeed and how to maintain lactation, even if they should be separated from their infants.

	Jul. 1998	Jan. 1999	Date	Date
5a. Mothers offered help with				
breastfeeding	60%	60%	#DIV/0!	#DIV/0!
5b. Mothers offered help with				
positioning/attachment	50%	41%	#DIV/0!	#DIV/0!
5c. Mothers demonstrating correct				
positioning/attachment	38%	27%	#DIV/0!	#DIV/0!
5d. Staff demonstrating correct				
positioning/attachment	80%	70%	#DIV/0!	#DIV/0!
5e. Mothers taught how to express				
milk	60%	50%	#DIV/0!	#DIV/0!
5f. Staff describing acceptable				
technique for milk expression	50%	40%	#DIV/0!	#DIV/0!
Total step 5: Teaching mothers to			·	
breastfeed	56%	48%	#DIV/0!	#DIV/0!

Comments and suggestions	
	1
	İ
	ŀ


Step 5: Show mothers how to breastfeed and how to maintain lactation, even if they should be separated from their infants.






Step 6: Give newborn infants no food or drink other than breast milk, unless medically indicated.

	Jul. 1998	Jan. 1999	Date	Date
6a. Babies breastfeeding exclusively	60%	67%	#DIV/0!	#DIV/0!
Total step 6: Exclusive breastfeeding	60%	67%	#DIV/0!	#DIV/0!







Total step 6: Exclusive breastfeeding

⊟ Jul. 1998	■ Jan. 1999	Date	□ Date

Step 7: Practice rooming-in. Allow mothers and infants to remain together 24 hours a day.


,	Jul. 1998	Jan. 1999	Date	Date
7a. Babies rooming-in within 1 hr. of				
birth	90%	93%	#DIV/0!	#DIV/0!
7b. Mothers and babies not				
separated more than 1 hr.	80%	67%	#DIV/0!	#DIV/0!
Total step 7: Rooming-in	85%	80%	#DIV/0!	#DIV/0!






Step 8: Encourage breastfeeding on demand.


	Jul. 1998	Jan. 1999	Date	Date
8a. No limitations put on mothers'				
breastfeeding	100%	100%	#DIV/0!	#DIV/0!
8b. Mothers advised to BF on				
demand	75%	64%	#DIV/0!	#DIV/0!
Total step 8: Breastfeeding on				
demand	88%	82%	#DIV/0!	#DIV/0!






Step 9: Give no artificial teats or pacifiers to breastfeeding infants.


	Jul. 1998	Jan. 1999	Date	Date
9a. Babies not given pacifiers	50%	59%	#DIV/0!	#DIV/0!
9b. Babies not fed with bottles	42%	50%	#DIV/0!	#DIV/0!
Total step 9: No bottles or pacifiers	46%	55%	#DIV/0!	#DIV/0!






Step 10: Foster the establishment of breastfeeding support groups and refer mothers to them on discharge from the hospital or clinic.

	Jul. 1998	Jan. 1999	Date	Date
10a. Mothers given advice on where				
to get help	75%	77%	#DIV/0!	#DIV/0!
10b. Mothers who could list 1 way to				
get help	58%	45%	#DIV/0!	#DIV/0!
10c. Mothers receiving written info.				
on BF support	50%	50%	#DIV/0!	#DIV/0!
Total step 10: Mother support	61%	58%	#DIV/0!	#DIV/0!





III Jan. 1999

□ Date


☑ Date


■ Jul. 1998

General Hospital

Item 11: Free and low-cost breast-milk substitutes (BMS) and samples.

	Jul. 1998	Jan. 1999	Date	Date
11a. No free or low-cost BMS	100%	100%	0%	0%
11b. BMS purchased for at least 80%				:
of value	100%	100%	0%	0%
11c. No gift packs with BMS	0%	0%	0%	0%
Total item 11: BM substitutes &				
samples	67%	67%	0%	0%







■ Jul. 1998	🛮 Jan. 1999	Date	□ Date
L			

least 80% of value

Item 12: Breastfeeding practices for babies ___ months old.


	Jul. 1998	Jan. 1999	Date	Date
12a. Babies breastfed*	63%	59%	#DIV/0!	#DIV/0!
12b. Babies breastfed exclusively*	42%	45%	#DIV/0!	#DIV/0!
12c. Babies not drinking from bottle				
or nipple*	50%	45%	#DIV/0!	#DIV/0!
Total Item 12: Breastfeeding practices for babiesmonths old				
	51%	50%	#DIV/0!	#DIV/0!






Item 13: Data from records on infant feeding practices.


	Jul. 1998	Jan. 1999	Date	Date
13a. Babies breastfed within 1 hr.	87%	90%	#DIV/0!	#DIV/0!
13b. Babies breastfeeding at discharge	90%	92%	#DIV/0!	#DIV/0!
13c. Babies exclusively breastfed	80%	82%	#DIV/0!	#DIV/0!
13d. Babies not bottle-fed	80%	82%	#DIV/0!	#DIV/0!
13e. Babies rooming-in	70%	85%	#DIV/0!	#DIV/0!
Total Item 13: Records on infant feed				
practices	81%	86%	#DIV/0!	#DIV/0!





Baby-friendly Hospital Initiative Monitoring system


Summary of progress on "The ten steps to successful breastfeeding"





Baby-friendly Hospital Initiative Monitoring system

Summary of progress on "The ten steps to successful breastfeeding"



Baby-friendly Hospital Initiative Monitoring system

Summary of progress on "Use of BMS, follow-up & infant practices" **General Hospital**

